



Equilibrium Constants

Answer all the questions below as fully as you can then check your answers

1. What is a reversible reaction?
 - i. If a reversible reaction has achieved dynamic equilibrium what does this mean?
How can you tell when a reaction has achieved dynamic equilibrium?
2. If a chemical reaction is said to go to completion, what does this mean?
3. When we discuss the conditions in which a chemical reaction takes place, the phrases open and closed systems are often used. Explain the difference between an open and a closed system.
4. The equation is for the synthesis of ammonia by the Haber process:






- i. Write an expression for K_c , the equilibrium constant for this reaction.
 - ii. Calculate the units for this equilibrium constant.
5. The hydrogen needed for Haber process is obtained by reacting carbon monoxide with steam. An equation for this reaction is given below:




i. Write an expression for K_c , the equilibrium constant for this reaction and give its units.

6. Write out expression for K_c for each of the following reactions and give the units for K_c in each case.




7. If one reaction had an equilibrium constant of 10^{10} and another reaction had an equilibrium constant of 10^{-10} , how would these reaction differ from each other?

8. If the equilibrium constant k_c for the reaction below is 10.



What is the equilibrium constant for the following reaction?



9. What is Le Chatelier's principle?

10. Complete the table below to show how temperature change affects the position of a reversible reaction at equilibrium.

Reaction type	Temperature change	Effect on K_c	Concentration of reactants	Concentration of products
exothermic	increase			
exothermic	decrease			
endothermic	Increase			
endothermic	decrease			

11. How does a catalyst affect the value of K_c ?

Answers

1. What is a reversible reaction?

One where the products can be turned back into the reactants.

- i. If a reversible reaction has achieved dynamic equilibrium what does this mean? How can you tell when a reaction has achieved dynamic equilibrium?
The rate of the forward and reverse reactions are the same. The macroscopic properties (properties such as colour, density) DO NOT CHANGE WITH TIME.


2. If a chemical reaction is said to go to completion, what does this mean?

All the reactants are turned into products.

3. When we discuss the conditions in which a chemical reaction takes place, the phrases open and closed systems are often used. Explain the difference between an open and a closed system.

A closed system is one where no matter (gases, liquids or solids) is added to the reaction, most of the reactions which we carry out are in open test-tubes and beakers which can exchange matter with the atmosphere. By simply placing a bung or stopper in the test-tube the reaction can be carried out in a closed rather than an open system.

4. The equation is for the synthesis of ammonia by the Haber process:



- i. Write an expression for K_c , the equilibrium constant for this reaction.


$$K_c = \frac{[\text{NH}_3]^2}{[\text{N}_2][\text{H}_2]^3}$$

ii. Calculate the units for this equilibrium constant.

$$K_c = \frac{\cancel{(\text{mol dm}^{-3})} \cancel{(\text{mol dm}^{-3})}}{\cancel{(\text{mol dm}^{-3})} \cancel{(\text{mol dm}^{-3})} (\text{mol dm}^{-3}) (\text{mol dm}^{-3})}$$

$$K_c = \frac{1}{(\text{mol dm}^{-3}) (\text{mol dm}^{-3})} = \text{mol}^2 \text{ dm}^{-6}$$

5. The hydrogen needed for Haber process is obtained by reacting carbon monoxide with steam. An equation for this reaction is given below:




i. Write an expression for K_c , the equilibrium constant for this reaction and give its units.

$$K_c = \frac{[\text{CO}_2] [\text{H}_2]}{[\text{CO}] [\text{H}_2\text{O}]} = \frac{(\text{mol dm}^{-3}) (\text{mol dm}^{-3})}{(\text{mol dm}^{-3}) (\text{mol dm}^{-3})}$$


K_c has no units as they all cancel!

6. Write out expression for K_c for each of the following reactions and give the units for K_c in each case.




$$K_c = \frac{[C][D]}{[A][B]} = \frac{\cancel{(\text{mol dm}^{-3})} \cancel{(\text{mol dm}^{-3})}}{\cancel{(\text{mol dm}^{-3})} \cancel{(\text{mol dm}^{-3})}}$$

K_c has no units



$$K_c = \frac{[C]^2 [D]}{[A][B]} = \frac{\cancel{(\text{mol dm}^{-3})} \cancel{(\text{mol dm}^{-3})} (\text{mol dm}^{-3})}{\cancel{(\text{mol dm}^{-3})} \cancel{(\text{mol dm}^{-3})}}$$

K_c has units of mol dm^{-3}




$$K_c = \frac{[C]^2 [D]}{[A]^2 [B]^2} = \frac{\cancel{(\text{mol dm}^{-3})} \cancel{(\text{mol dm}^{-3})}}{\cancel{(\text{mol}^2 \text{ dm}^{-6})} \cancel{(\text{mol}^2 \text{ dm}^{-6})}}$$

K_c has units of $\text{mol}^{-2} \text{ dm}^6$


7. If one reaction had an equilibrium constant of 10^{10} and another reaction had an equilibrium constant of 10^{-10} , how would these reaction differ from each other?

If k_c is very large then the reaction can be considered to essentially go to completion. If K_c is very small then the reaction essentially fails to start, it is almost entirely made up of reactants and no products.

8. If the equilibrium constant k_c for the reaction below is 10.



What is the equilibrium constant for the following reaction?



The equilibrium constant for the reverse reaction is simply $1/k_c$, so in this case it is $1/10$ or 0.1

9. What is Le Chatelier's principle?

A system at equilibrium will oppose any changes made to it. The system will adjust itself to minimise the effects of the change made to it.

10. Complete the table below to show how temperature change affects the position of a reversible reaction at equilibrium.

Reaction type	Temperature change	Effect on K_c	Concentration of reactants	Concentration of products
exothermic	increase	decrease	increase	decrease
exothermic	decrease	increase	decrease	increase
endothermic	Increase	increase	decrease	increase
endothermic	decrease	decrease	increase	decrease

11. How does a catalyst affect the value of K_c ?

A catalyst does not affect the value of the equilibrium constant. A catalyst will speed up the forward and reverse reactions in a reversible reaction by the same amount. It will allow the reaction to achieve equilibrium much quicker, but it will not alter the position of equilibrium and so will have no effect on the value of K_c .